


CLS3\_ASSY - Heritage Linkage Single Cable Inc. Mount



Engineered to win



VIEW PDF INSTRUCTIONS HERE:




MINIMUM DISTANCE  
BETWEEN BODIES WHEN  
LINKAGE INSTALLED = 87mm  
SEE PAGE 3

CLS3\_ASSY - HERITAGE SINGLE LINKAGE



Engineered to win



| ITEM NO. | PART NUMBER | DESCRIPTION                         | QTY. |
|----------|-------------|-------------------------------------|------|
| 1        | M5WPZ       | M5 PLAIN WASHER BZP                 | 4    |
| 2        | M6X37-ADJ   | M6x37 THREADED ADJUSTER             | 1    |
| 3        | BHS8X5X14   | LINKAGE BUSH                        | 2    |
| 4        | LF36        | LINKAGE QUADRANT                    | 1    |
| 5        | SG22        | SPRING, LINKAGE KIT - LOOSE HOOK    | 1    |
| 6        | LJ5B        | WITHOUT BALL                        | 2    |
| 7        | C15         | THROTTLE CABLE 1.5 METRES           | 1    |
| 8        | M5X30HZ     | HEX HEAD BZP                        | 2    |
| 9        | M5X25CZ     | CAP SCREW M5x25 CZ                  | 1    |
| 10       | M5WDZX12.7  | M5x12.7 WASHER BZP                  | 1    |
| 11       | LM02        | HERITAGE LINKAGE MAINFRAME          | 1    |
| 12       | M5X85AZ     | M5 THREADED BAR 1 MTR               | 1    |
| 13       | M5NZ        | M5 NYLOC NUT                        | 5    |
| 14       | BG0806FDU   | Ø8xØ10x5.5 FLANGED BEARING          | 2    |
| 15       | M5LZ        | M5 LOCK NUT                         | 2    |
| 16       | M35-11MOD   | M35-11 CUTDOWN                      | 1    |
| 17       | M5X25SS     | M5X25 STAINLESS STEEL SLOTTED SCREW | 2    |
| 18       | M5WSS       | M5 STAINLESS STEEL SPLIT WASHER     | 2    |
| 19       | M6LZ        | M6 LOCKNUT                          | 1    |
| 20       | BC6C        | CABLE NIPPLE, 6MM CLAMP             | 1    |
| 21       | CLS3-1      | CLS3 BOLT ON LEVER ADAPTOR          | 1    |
| 22       | M4X12BZ     | BTN SKT SCREW M4x12                 | 1    |
| 23       | M4WPZ       | M4 WASHER                           | 2    |
| 24       | M4NZ        | M4 NYLOC NUT                        | 1    |
| 25       | D318-9      | RIGHT D318 DCOE PRIMARY LEVER       | 1    |
| 26       | BHA8X5X3    | ROD END SPACER                      | 2    |

